

[www.butkus.us](http://www.butkus.us)

**PETRI**

*Tele converter*






Prime lens 55mm



2×Tele-converter 110mm


**PETRI TELE-CONVERTER**



Body



Tele-converter



Prime lens

# HOW TO USE THE PETRI TELE-CONVERTER


This manual is for reference and historical purposes, all rights reserved.  
~~These creations are copyright © by M. Butkus, NJ, U.S.A.~~  
These creations may not be sold or distributed without the expressed permission of the producer  
I have no connection with any camera company

### On-line camera manual library

If you find this manual useful, how about a donation of \$2 to:  
M. Butkus, 29 Lake Ave., High Bridge, NJ 08829-1701  
and send your e-mail address so I can thank you.  
Most other places would charge you \$7.50 for a electronic copy or  
\$18.00 for a hard to read Xerox copy.

**This will allow me to continue this site, buy new manuals and pay their shipping costs.  
It'll make you feel better, won't it?  
If you use Pay Pal, go to my web site  
[www.orphancameras.com](http://www.orphancameras.com) and choose the secure PayPal donation icon.**

Red mark is on top of the camera body.



Bayonet mount receptacle

Check that the red mark is at the top on the Bayonet Releasing Ring of the camera body and turn it tightly to clockwise direction after inserting the Teleconverter into the Bayonet Mount Receptacle of the camera body.

Red mark is turned clockwise direction



In the same way as done above, put the standard lens or any other interchangeable lens you are going to use to the bayonet mount of the Teleconverter. You will get twice as long field through the viewfinder.

[www.butkus.us](http://www.butkus.us)



...f : 110mm...

## Specifications

- Lens..... 3 groups in 3 elements, magenta coated.  
Magnification..... 2 times  
Diaphragm..... Fully automatic system which is coupled to the diaphragm of the  
prime lens of the camera in use.  
Exposure multiple... 2 stops of the diaphragm  
Lens mount..... Bayonet type  
Dimensions..... 41.5 ×  $\phi$ 58mm  
Weight ..... 145gm.
- 



**PETRI<sup>®</sup> CAMERA COMPANY, INC.**

Printed in Japan